

TEST 2- VERSION “A”

JSEA, HAZCOM, INCIDENT PREVENTION
SIGNS & TAGS, PPE & FALL PROTECTION

Do not write on this test question sheet. Circle the letter on the test answer that corresponds to the correct answer. When test is complete, return this test and your answer sheet to your instructor to grade.

1. When using PPE, it is the employee's responsibility to _____
 - A. Know how to properly wear the PPE
 - B. Know how to inspect the PPE
 - C. Use the appropriate PPE for the job
 - D. All of the above
2. The site specific JSEA should include
 - A. PPE required for the job
 - B. Emergency Action Plan
 - C. Assembly area
 - D. All of the above
3. What are the most common reasons workers are killed?
 - A. Not recognizing machinery dangers
 - B. Falls
 - C. Electrocution
 - D. All of the Above
4. Your employer shall provide training concerning the location of the MSDS's in the workplace
 - A. True
 - B. False
5. The OSHA Hazard Communication Standard is also known as the "Right to Know Law"
 - A. True
 - B. False
6. When wearing a faceshield, goggles or safety glasses must also be worn to protect the eyes
 - A. True
 - B. False
7. Fall protection must be worn when working above OSHA's required heights
 - A. True
 - B. False
8. JSEA's & JHA's should be reviewed:
 - A. Only if you have time before the job
 - B. In accordance with company & job requirements
 - C. Only by Supervisors
 - D. Only if you have a new employee

9. Warning signs and tags use colors to indicate the level of the hazard present. Warning signs that are predominantly Red, indicate a possible hazardous situation
- A. True
 - B. False
10. Each worker involved with the job should know what is in the JSEA for the work they are doing
- A. True
 - B. False
11. When cleaning fall protection, you should use
- A. Bleach
 - B. Pressure washer
 - C. Mild detergent & water
 - D. None of the above
12. When inspecting fall protection, you should look for
- A. Signs of a previous fall
 - B. Wear & damage on buckles
 - C. Material stretching around grommets
 - D. All of the above
13. The wording of signs and tags should:
- A. Easy to read and concise
 - B. Make a positive suggestion
 - C. Contain sufficient information to be understood
 - D. All of the above
14. OSHA divides hazardous chemical into what two categories
- A. Flammable & combustibles
 - B. Physical & health
 - C. Pyrophoric & oxidizers
 - D. Handling & storage
15. Hard hats are not to be modified in any manner
- A. True
 - B. False
16. Tags carry the same types of warnings, color coding and positive messages as a sign
- A. True
 - B. False
17. A person can become exposed to a chemical hazard by
- A. Through the skin
 - B. Inhalation
 - C. Ingestion
 - D. All of the above

18. Which of the following are examples of major message signs
- A. Do not start
 - B. Parking area
 - C. High voltage
 - D. Both A & C
19. Wearing the appropriate hearing protection and wearing it correctly can help prevent hearing loss
- A. True
 - B. False
20. Harnesses must be stored in a clean dry and cool area
- A. True
 - B. False